1) Find the determinant of the matrix below. (15 points)

$$\begin{bmatrix} 2 & 0 & 5 & 0 & 4 \\ 1 & 2 & 3 & 0 & 0 \\ -2 & 0 & 0 & 4 & 0 \\ 1 & 0 & 2 & 0 & 0 \\ 0 & 0 & 0 & 1 & 5 \end{bmatrix}$$

2) Given the basis and vector  $\vec{x}_B$  below, find  $\vec{x}_S$ . (10 points)

$$B = \left\{ \begin{bmatrix} 3\\6 \end{bmatrix}, \begin{bmatrix} 2\\4 \end{bmatrix} \right\} \quad \vec{x}_B = \begin{bmatrix} -1\\5 \end{bmatrix}_B$$

3) Given the two bases below, find the change of basis matrix that converts information from coordinate vectors in  $B_2$  to coordinate vectors in  $B_1$ , denoted by  $[I]_{B_1}^{B_2}$ . You do not need to perform the arithmetic. (10 points)

$$B_{1} = \left\{ \begin{bmatrix} 6\\0\\0 \end{bmatrix}, \begin{bmatrix} 0\\5\\0 \end{bmatrix}, \begin{bmatrix} 0\\1\\1 \end{bmatrix} \right\} \quad B_{2} = \left\{ \begin{bmatrix} 1\\1\\0 \end{bmatrix}, \begin{bmatrix} 0\\1\\1 \end{bmatrix}, \begin{bmatrix} 1\\2\\3 \end{bmatrix} \right\}$$

- 4) Answer the questions below. (3 points each)
  - (A) Let A be a 3 × 3 matrix and  $\vec{b} \in \mathbb{R}^3$ . Assume the null space has dimension 1. How many solutions can  $A\vec{x} = \vec{b}$  have?
  - (B) Let *A* be a 7 × 4 matrix and assume  $A\vec{x} = \vec{0}$  has only 1 solution. What is the rank of *A*?
  - (C) Let *A* be a 5 × 8 matrix whose corresponding linear transformation is onto. How many free variables does the system of equations  $A\vec{x} = \vec{0}$  have?

(D) Let A be a 5 × 5 matrix with |A| = 3. How many solutions can  $A\vec{x} = \vec{0}$  have?

(E) Let A be a  $4 \times 3$  matrix with rank 2. What is the dimension of the row space of A?

5) Given the linear transformation below, determine whether or not it is *one-to-one* and justify your answer. (10 points. 3 for the answer; 7 for the reasoning)

$$T: \mathbb{R}^3 \to \mathbb{R}^3$$
$$T\left( \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} \right) = \begin{bmatrix} 1 & 0 & 2 \\ 0 & 1 & 3 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix}$$

6) Find the determinant of the matrix below. (5 points)

ſ	1	41
l	.5	2

7) Given the system of equations below, use Cramer's Rule to write down a formula for the solution. You do not need to simplify or evaluate your answer(s). (10 points)

$$\begin{bmatrix} 7 & 5 \\ 2 & 3 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 4 \\ 6 \end{bmatrix}$$

8) Find the product below. (10 points)

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 \\ 0 & -1 \end{bmatrix}$$

9) Find the inverse of the matrix below. (10 points)

 $\begin{bmatrix} 1 & 4 \\ 5 & 2 \end{bmatrix}$ 

10) Given the matrix below, find the quadratic form that corresponds to this matrix. (5 points)

 $\begin{bmatrix} 2 & 3 \\ 3 & 7 \end{bmatrix}$