1) Given the basis
$$B = \left\{ \begin{bmatrix} 1\\1\\1\\1 \end{bmatrix}, \begin{bmatrix} 4\\3\\2\\1 \end{bmatrix}, \begin{bmatrix} 1\\2\\1\\1 \end{bmatrix} \right\}$$
 and $\vec{x}_S = \begin{bmatrix} 1\\2\\3\\S \end{bmatrix}$, find a formula for $[\vec{x}]_B$. (10 points)

2) Given the bases $B_1 = \{ \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \begin{bmatrix} 2 \\ 13 \end{bmatrix} \}$ and $B_2 = \{ \begin{bmatrix} 4 \\ 3 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \end{bmatrix} \}$, find a formula for the change of basis matrix that converts vectors from basis B_1 into vectors from basis B_2 . (10 points)

3) Find the determinant of the matrix below. (15 points)

$$\begin{bmatrix} 1 & 2 & 0 & 3 \\ 1 & 3 & 0 & 5 \\ 0 & 0 & 1 & -4 \\ 3 & 4 & 0 & 2 \end{bmatrix}$$

4) Given the linear transformation $T: \mathbb{R}^2_S \to \mathbb{R}^2_S$ given by $T\left(\begin{bmatrix} x_1 \\ x_2 \end{bmatrix}_S \right) = \begin{bmatrix} 3x_1 \\ x_1 + x_2 \end{bmatrix}_S$ and the bases below, find a formula for $\left[T\left(\begin{bmatrix} 1 \\ 2 \end{bmatrix}_{B_1} \right) \right]_{B_2}$. (10 points) $B_1 = \{ \begin{bmatrix} 1 \\ 2 \end{bmatrix}, \begin{bmatrix} 2 \\ 2 \end{bmatrix} \}$

$$B_1 = \left\{ \begin{bmatrix} 1 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 \\ 3 \end{bmatrix} \right\}$$
$$B_2 = \left\{ \begin{bmatrix} 4 \\ 4 \end{bmatrix}, \begin{bmatrix} 2 \\ 1 \end{bmatrix} \right\}$$

- 5) Answer the following questions. (3 points each)
 - A) Let *A* be a 3 × 3 matrix and assume that it has rank 2. How many solutions does $A\vec{x} = \vec{0}$ have?

B) Let A be a 3×4 matrix and assume that the corresponding linear transformation T is not onto. What is the minimum dimension of the null space of A?

C) Let A be a 3×7 matrix. Assume that the dimension of the row space is 3. What is the dimension of the column space?

D) Consider a system of 5 equations in 3 variables. Assume there are infinitely many solutions. If *A* is the matrix representing this system, what are the possible values for the rank of *A*?

E) Let A be a 6×6 matrix and T the corresponding linear transformation. If dim(ker(T)) = 2, what is the rank of A?

6) Find the product below. (10 points)

$$\begin{bmatrix} 1 \\ 2 \end{bmatrix} \begin{bmatrix} 3 & 4 & 5 \end{bmatrix}$$

7) Let
$$f(x) = 2x + 3$$
, find $f\left(\begin{bmatrix} 1 & 2\\ 0 & 2 \end{bmatrix}\right)$. (5 points)

8) Given the information below, find a formula for $\begin{bmatrix} x_1 \\ x_2 \end{bmatrix}$. (5 points)

$$\begin{bmatrix} 1 & 2 \\ 4 & 7 \end{bmatrix}^{-1} = \begin{bmatrix} -7 & 2 \\ 4 & -1 \end{bmatrix}$$
$$x_1 + 2x_2 = 5$$
$$4x_1 + 7x_2 = 7$$

9) Find a basis for the vector space below. (5 points)

([[1]]	[4]	[0]	[5])\
span	{ 0 }	, 3,	1,	2
(lol	

10) Given the information below, find $T\left(\begin{bmatrix}1\\2\end{bmatrix}\right)$. (10 points) $T: \mathbb{R}^2 \to \mathbb{R}^3$ $[T] = \begin{bmatrix}2 & 0\\1 & 0\\4 & 3\end{bmatrix}$ 11) Find the inverse of the matrix below. (5 points)

<u>[</u> 1	0	4]
$\begin{bmatrix} 1\\ 0\\ 0 \end{bmatrix}$	0	4 1 0
LO	2	0